YDS COMMUNICATIONS ANTENNA

Professional Design Engineering Manufacturer Partner

YDS-TX23-9525K V3.0-066 20KM Long Distance Wireless Bridge For Network Signal Transmission





Front View

Back View

Product Overview

YDS-TX23-9525K V3.0-066 is a ultra long distance 5GHz wireless bridge, the wireless rate is up to 900Mbps. It has 1*10/100/1000Mbps RJ45 port, built-in directional antenna. The transmission distance is 20KM.

It supports IEEE 802.11a/n/ac (WAVE2) protocol. It adopts IP65 shell design, suitable for ultra long distance transmission.

Features

- 1*10/100/1000Mbps RJ45 Port
- Support IEEE 802.11a/n/ac (WAVE2) Protocol
- The wireless rate is up to 900Mbps
- Support Power Supply by PoE 24V
- Level IP65 Outdoor Protection
- Easy and quick to install, it supports pole or wall mount installation

www.YDSCOMM.com sales@ydscomm.com Tel: (+86) 13790087202 (WeChat, QQ, Mobile)

YDS COMMUNICATIONS ANTENNA

Professional Design Engineering Manufacturer Partner

YDS-TX23-9525K V3.0-066 20KM Long Distance Wireless Bridge For Network Signal Transmission

Product Specification

Chipset	QCA9563+QCA9886			
DRAM	DDR2 128MByte			
FLASH	16MByte			
IC	SKY85728-11*2			
Wired Port	0/100/1000Mbps LAN*1			
Data Rate	867Mbps			
Modulation	OFDM/256-QAM/64-QAM/16-QAM/QPSK/BPSK			
Protocol	IEEE802.11a,IEEE802.11ac,IEEE802.11n,IEEE802.3u,IPoll 3,IEEE802.3af, IEEE802.3at			
Frequency	5150 ~ 5850MHz			
Power Dissipation	≤10W			
Power	POE 24V 1A			
RF Power @25℃±2dB	802.11ac	HT40 HT80	MCS 0-5 MCS 6 MCS 7 MCS 8 MCS 9 MCS 0-2 MCS 3-4 MCS 5 MCS 6 MCS 7-8 MCS9	30±2dBm 29±2dBm 28±2dBm 27±2dBm 26±2dBm 29±2dBm 27±2dBm 26±2dBm 25±2dBm 24±2dBm
Sensitivity	802.11ac	НТ40 НТ80	MCS 0 MCS 9 MCS 0 MCS 9	≤ -95 ≤ -70 ≤ -90 ≤ -64

www.YDSCOMM.com sales@ydscomm.com Tel: (+86) 13790087202 (WeChat, QQ, Mobile)

YDS COMMUNICATIONS ANTENNA

Professional Design Engineering Manufacturer Partner

YDS-TX23-9525K V3.0-066 20KM Long Distance Wireless Bridge For Network Signal Transmission

Product Specification

	Frequency	4900 ~ 6100MHz		
Antenna	Polarization	Vertical / Horizontal		
	Gain	25DBi		
Management	System Monitor	SNMP, Syslog, WebUI, WNMS		
	Setting	WebUI, WNMS,		
Security	Encryption	WEP Encryption 64/128bits,WPA,WPA2,802.1x		
	Operating Temperature	-40 ~ 65°C		
Operating Condition	Storage Temperature	-50 ~ 80°C		
	Humidity (Non- concentrated)			
Product Size	Size: 384*384*17MM			
	Weight: 2.95kg			

www.YDSCOMM.com sales@ydscomm.com Tel: (+86) 13790087202 (WeChat, QQ, Mobile)



Professional Design Engineering Manufacturer Partner

YDS-TX23-9525K V3.0-066 20KM Long Distance Wireless Bridge For Network Signal Transmission





www.YDSCOMM.com sales@ydscomm.com Tel: (+86) 13790087202 (WeChat, QQ, Mobile)



Professional Design Engineering Manufacturer Partner

YDS-TX23-9525K V3.0-066 20KM Long Distance Wireless Bridge For Network Signal Transmission



www.YDSCOMM.com sales@ydscomm.com Tel: (+86) 13790087202 (WeChat, QQ, Mobile)